

A.J. O'Mara Group

FEED EASE | Hog Feeders & Equipment



sales@ajomara.com




ajomara.com



605-242-4742

Why use O'Mara Feeders?

Dependable *service* Durable *products*



A.J. O'Mara Group is a family company that has years of experience working with great producers to keep hog farming profitable for generations of farmers.

Because our feeders are...

Efficient. Easy to manage. Built to last.

- Designed to be feed-efficient. The design and quality of our feeder maximizes the efficient use of feed and keeps stress low for hogs and producers.
- Self-feeding— Fresh feed drops into the trough when the pig nudges the paddle or tray.
- The amount of feed the pig can drop is controlled by the manager with a simple adjustment handle.
- Our unique design keeps feed fresh in the trough.
- Better gains— A wet feeder means an increase in average daily feed intake.
- You save money— Improved bottom line is the reason our customers are long term repeat customers.
- Built with high quality steel.
- Easy to manage, whether wet or dry, from wean to finish.
- Invest in our durable feeders that can be depended on turn after turn.

Why invest in wet/dry feeders?

Pigs learn quickly to clean up feed. As they grow, the producer opens the water valve for the wet/dry option and better gains.

Our **FEED EASE paddle feeder** and our **tray feeder** are designed to be cost effective over the long term. Our feeders are reliable, durable, sanitary, and feed-efficient. The unique design keeps dependable amounts of feed fresh, clean, and flowing when the hogs are at the trough. Less waste equals more gain.



ajomara.com
sales@ajomara.com
(605) 242-4742

FAQs

Q: How many pigs?

A: Usually we recommend 10 pigs for each feeder space. In wean-to-finish barns, more baby pigs can be loaded until they are feeder pig size.

Q: Wet or Dry?

A: FEED EASE lets you decide when or if the water should be turned on. The feeder works very well either way which makes the FEED EASE the best choice for wean-to-finish operations.

Q: Wet or dry for starting baby pigs?

A: You can start the weaners with dry feed and a water source separate from the feeder. The FEED EASE feeder used dry in combination with WATER EASE water cups or nipple bars is a good option for little pigs. Later, the piglets adjust quickly and perform the best when the water is turned on at the feeder.

In some instances, for some feeders, producers worry that feed will get stale when young pigs don't keep the feed cleaned up. That is a real concern. One solution is to use the feeder dry most of the time and just turn the water on for a short time in the morning. Pigs gain better on fresh wet feed. Water itself is an important part of good nutrition; that's why we always suggest an extra water source for all pigs.



Save Feed & Time



All FEED EASE feeders use a calibrated feed flow handle with micro adjustment notches for precise control. There's no slop in its linkage when adjusting. Our handle locks in place and is tucked lower than the feeder's edge to avoid being bumped or bent.


We stand behind our feeders.

AJ O'MARA Wet/Dry Paddle Feeder

Paddle Feeder Features

All 304 ss or VALUE model available.
Same efficient design.


- VALUE model comprised of:
 - 14 gauge stainless steel (bottom, ends)
 - 16 gauge stainless steel (hopper)
- Easy to manage
- Efficient hog activated feed drop
 - Pig nudges paddle for fresh feed
- Ready to install
- Solid dividers
- Precise feed flow control with adjustment
- Feed adjustment handle locks in place
- Removable water line
- Standard "with the slats" anchor (outtee) or bolt-on "against the slats" (innee) available
- Edstrom wet feeder nipple included
- Standard feed tube straps included; attachable arched feed tube holders optional
- Fast alley load out divider optional
- Customizable to meet your needs*



FEW56




Edstrom wet feeder nipple



Bolt-on "innee" anchor available



Removable water pipe



Feed adjustment




Feed shakers



Forked nose paddle

| Feeder type | Model | Spaces per side | Length inches / cm | | Pigs per feeder | Pig Weight pounds / kilograms | | Feed Capacity pounds / kilograms | |
|-------------|-------|-----------------|--------------------|-------|-----------------|-------------------------------|--------|----------------------------------|-----|
| Nursery | FEN36 | Three | 36 | 92 | 48 | 12-60 | 6-27 | 96 | 44 |
| Finishing | FEF48 | Three | 48 | 122 | 66 | 30-280 | 14-128 | 288 | 131 |
| Wean-Finish | FEW28 | Two | 28 | 71 | 40 | 12-280 | 6-128 | 170 | 78 |
| Wean-Finish | FEW42 | Three | 42 | 107 | 60 | 12-280 | 6-128 | 246 | 112 |
| Wean-Finish | FEW48 | Three | 48 | 122 | 60 | 12-280 | 6-128 | 280 | 128 |
| Wean-Finish | FEW56 | Four | 56 | 142 | 80 | 12-280 | 6-128 | 328 | 150 |
| Wean-Finish | FEW60 | Four | 60 | 152 | 80 | 12-280 | 6-128 | 350 | 160 |
| Wean-Finish | FEW70 | Five | 70 | 178 | 100 | 12-280 | 6-128 | 410 | 187 |
| Wean-Finish | FEW77 | Five | 77 | 195.6 | 100 | 12-280 | 6-128 | 450 | 205 |
| Wean-Finish | FEW84 | Six | 84 | 214 | 120 | 12-280 | 6-128 | 490 | 223 |
| Wean-Finish | FEW92 | Six | 92 | 234 | 120 | 12-280 | 6-128 | 535 | 244 |

*We know every barn, every hog operation's needs aren't the same. We'll work with you to customize our feeder into what works with your budget and barn.



FEW42

430 SS

304 SS

Our Value Feeder's **trough, dividers** and **base** are the same high quality **304 grade stainless steel**.

The **hopper** is made of economical appliance grade **430 stainless steel**.

Value Feeder

What's the difference with a **VALUE** feeder?




ajomara.com
sales@ajomara.com
(605) 242-4742

AJ O'MARA Wet/Dry Tray Feeder

Tray Feeder Features

Pigs can eat dry feed from the tray or wet feed from the trough.


- Easy to manage
- Efficient hog activated feed drop
 - Pig nudges tray for fresh feed
- Ready to install
- Customizable to meet your needs*
- Durable all 304 ss top to bottom, or VALUE model available
- Precise feed flow control
- Removable water line
- Solid dividers
- Feed adjustment handle locks in place
- Standard "with the slats" (outtee) anchor or bolt-on "against the slats" (inneer) anchor available
- Edstrom wet feeder nipple included
- Attachable arched feed tube holders optional
- Fast alley load out divider optional




FE42



Edstrom wet feeder nipple



Bolt-on "inneer" anchor available



Feed adjustment



Attachable arched feed tube holder (optional)



Movable feed tube holders (optional)



Solid dividers

| Feeder type | Model | Spaces total | Length inches | Height inches | Pigs per feeder | Pig Weight pounds / kilograms | | Feed Capacity pounds / kilograms | |
|-------------|-------|--------------|---------------|---------------|-----------------|-------------------------------|-------|----------------------------------|-----|
| Wean-Finish | FE28 | 4 | 28" | 40" | 40 | 12-280 | 6-128 | 279 | 127 |
| Wean-Finish | FE42 | 6 | 42" | 40" | 60 | 12-280 | 6-128 | 418 | 190 |
| Wean-Finish | FE48 | 6 | 48" | 40" | 60 | 12-280 | 6-128 | 478 | 218 |
| Wean-Finish | FE60 | 8 | 58.5" | 40" | 88 | 12-280 | 6-128 | 597 | 272 |
| Wean-Finish | FE70 | 10 | 70" | 40" | 100 | 12-280 | 6-128 | 696 | 316 |
| Wean-Finish | FE77 | 10 | 77" | 40" | 110 | 12-280 | 6-128 | 766 | 349 |
| Wean-Finish | FE84 | 12 | 84.5" | 40" | 120 | 12-280 | 6-128 | 836 | 380 |
| Wean-Finish | FE92 | 12 | 92" | 40" | 120 | 12-280 | 6-128 | 916 | 417 |

*We know every barn, every hog operation's needs aren't the same. We'll work with you to customize our feeder into what works with your budget and barn.



Older feeders?



Let us help.

We offer a variety of replacement and repair parts. Send us a photo and we can help you get your existing feeders working right again even if they're not ours.

| FEEDER PARTS | |
|----------------------------|-----------|
| Name | Part # |
| Adj. Conversion Kit | 990001 |
| OS Wet Feeder Paddle | P1000 |
| OS Wet Feeder Roll Pin | P1000rp |
| OS T Handle Adjustment | 1001 |
| OS T Handle Adj. Spring | 2001 |
| 1/4" Fork Paddle | FPaddle |
| Drain Hole Cover & Bolt | DHCB |
| Water Pipe Cover Plate | WP-CP |
| Quick Latch Clip | QL-Clip |
| Edstrom Wet Feeder Nipple | 4034-303 |
| Edstrom Repair Kits | E Repair |
| Custom Trojan Parts Nipple | #400 |
| Trojan Repair Kit | TR Repair |

Feed Ease Tube Feeder



Tube Feeder Features

Simple, easy to manage, feed and water access for pigs.

- 300 series stainless steel
- Easy to manage
- Less dust in the air
- Separate recessed cups with nipple waterer
- Hopper optional: 120 lb or 35 lb

Tube Feeder Specs

| Model | Length | Number Tubes-Cups | | Pigs per feeder |
|----------|--------|----------------------|---|-----------------------|
| FET30 | 30" | 1 | 1 | 22 |
| FET48 | 48" | 2 | 2 | 44 |
| FET60 | 60" | 2 | 3 | 44 |
| FET87 | 87" | 3 | 4 | 66 |
| FET114 | 114" | 4 | 5 | 88 |
| FET114-5 | 114" | 5 | 4 | 110 |
| FET141 | 141" | 5 | 6 | 110 |




120 lb hopper



Crank handle

Dry and/or nursery
tube feeders available
for sizing and pricing.



Feed adjustment



Pig activated feed rotator





Recessed water cups

Feed Ease Sow Feeder

Sow Feeder Features

Shelf or paddle options available. Nipple waterer included.

- 16 gauge stainless steel
- Improved feed intake during lactation
- Better litter weight at weaning
- Improved sow condition
- Reduced feed waste



Custom nipple included




ajomara.com
sales@ajomara.com
(605) 242-4742

Original Square Cup


Water Cup Features

Durable cup, reduced waste, custom nipple with back-to-back mounting hardware included.


- Single or double cup available
- Nursery or grow-finish double cups available
- Heavy all 304 ss construction
- Rounded corners
- Bolts/bracket to mount cups back-to-back included
- Options: angle or rod brackets
- Includes our **#400 custom nipple**: Built with Trojan parts, heavy spring and stem, custom built hex barrel
- Single mount backing plates available



#400 custom nipple



Angle top mounting hardware




Rod top mounting hardware

Original Nipple Bar

Nipple Bar Specs

| Nipple Bar | Length | Number of Nipples Total |
|------------|--------|-------------------------|
| NB4EQ | 22" | 4 |
| NB6EQ | 32" | 6 |
| NB8EQ | 42" | 8 |
| NB12EQ | 62" | 12 |
| NB16EQ | 82" | 16 |



Nipple Bar Features

Hangs on the gate for water on both sides.
Helps maintain good hydration for newly weaned pigs.

- All 304 stainless steel
- Quick install
- Start weaned pigs
- Less stress competing for water
- Quick latches included for height adjustment and stability
- Easily lifted out as piglets grow
- Nipples are included
- Single sided nipple bars available
- Recommended: Edstrom Piglet Nipple
- **Other nipple options available**



ajomara.com
sales@ajomara.com
(605) 242-4742

Water Ease Tip-to-Clean

Tip-to-Clean Features

Lift the pin and pull the water pipe forward. The entire inner assembly will easily tip to clean the trough. Push the assembly back when the cleaning is done.


- Automatic fill valve keeps water at desired level
- Spring loaded release makes cleaning easy
- Adjustable water pipe
- Welded construction
- Can help simplify medicating water

Tip-to-Clean Specs


| Waterer | Length inch - cm | | Number of Pigs | Pig Weight |
|---------|---------------------|-----|-------------------|---------------|
| WEA18T | 18 | 46 | 75 | 12-280 |
| WEA24T | 24 | 61 | 100 | 12-280 |
| WEA48T | 48 | 122 | 200 | 12-280 |



Latch and spring



Swings down for cleaning




Thumb bolt to close



ajomara.com
sales@ajomara.com
(605) 242-4742

Polygrate Flooring



Polygrate Gro-More™ Nursery Plastic Flooring System

Polygrate Features

Time-tested, producer endorsed, Faroex Polygrate built for nursery, farrowing, or grower barns.

- Plastic flooring for weaning and nursery pigs up to 100 lbs
- Unique "High-Low" finger design
- Superior traction that leads to less stress and injury to the hogs
- Plastic/fiberglass material reduces surface wear
- True V-shaped underside is designed for easy and maximum cleaning
- Polygrate's high strength, fiberglass reinforced plastic composite eliminates sagging between beams due to creep and reduces surface wear
- Simple installation
- 10 year warranty* (conditional)



Interlocked squares



High-low traction




18" x 18" flooring squares

Polygrate Grower & Polygrate Challenger™ sizes and accessories also available.



Installed flooring



HD Box-I-Beam

Snow Door™ Soffit Covers

Snow Door™ Features

Seasonally adjusted stainless steel soffit covers that help prevent snow infiltration and are resistant to corrosion and wind damage.

- Durable stainless steel
- Quick installation and operation
- Hand winch operated (Curtain hardware packages available for purchase)

Snow Door™ Specs

- 4' door length comprised of 1' windows
- Collapse to 1' overall length when open for optimal air intake
- Stainless steel trim for mounting to barn is (1"x1.5"x4') is pop riveted to door
- Door width can vary: 12" W, 16" W, 17" W, or custom available



Closed



Open



Closed




Open

Plastic Flooring Slat Saver



Slat Saver Features

- Tough high-density plastic mat placed under feeders to protect new slats or to stop concrete erosion on older slats
- Provides traction for pigs
- Multi-directional bumps and cleats are grooved and spaced to capture, control, and drain all harmful liquids directly to the pit below
- Impervious to acids, salts, and whey
- Promotes prevention of disease and cleans easily with a pressure washer



Blue Reinforced PVC Hose

- FDA grade
- Full UV inhibitor added
- Available in blue or black

| Blue PVC Hose | |
|---------------------------|---------------|
| Sold in rolls of 300 feet | |
| Part # | Size (inches) |
| 2H5016/0375BU-AJ | 3/8 |
| 2H5016/050BU-AJ | 1/2 |
| 2H5016/0625BU-AJ | 5/8 |
| 2H5016/075BU-AJ | 3/4 |

Wholesale Plumbing

Plumbing Parts

Affordable plumbing parts, variety sizes and styles.

Minimums may apply. Call/email for pricing and a complete list of products.

- Variety nipple waterers, including Edstroms
- Plastic fittings: MPT, FPT, HB, MGHT, and more
- Hose clamps: marine grade, 620 SS, and 201/301 SS available
- PVC ball valve and thread tape available



O'Mara

FEED EASE | Hog Feeders and Equipment



sales@ajomara.com



ajomara.com



605-242-4742